

# BAULMANN

Designer Series





Wall luminaire brass / black  
opal acrylic diffuser with expanded metal  
mesh in satin/dull brass finish  
Can be IP rated for bathroom use  
incl. Flex-LED 12 V ca. 10 watt/mtr.  
LED driver included  
height ca. 375 mm, extension ca. 100 mm

Surface:	Brass dull 03
Lamp socket:	1 x LED integrated / 230 V
Height:	375 mm
Voltage:	230 V
Protection class:	I
Safety norm:	CE

64.238.03



Wall luminaire copper / black  
opal acrylic diffuser with expanded metal  
mesh in copper finish  
Can be IP rated for bathroom use  
incl. Flex-LED 12 V ca. 10 watt/mtr.  
LED driver included  
height ca. 375 mm, extension ca. 100 mm

Surface:	Copper 05
Lamp socket:	1 x LED integrated / 230 V
Height:	375 mm
Voltage:	230 V
Protection class:	I
Safety norm:	CE

64.238.05



# 64.239.03

Decorative wall sconce Stretched satin brass mesh over an opal acrylic diffuser.

Can be IP rated for bathroom use.

Matt black finish incl.

Flex-LED 12 V ca. 10 watt/mtr.

LED driver included

height ca. 800 mm, extension ca. 100 mm

Surface:	Brass satin / dull 03
Lamp socket:	1 x LED integrated / 230 V
Height:	800 mm
Voltage:	230 V
Protection class:	I
Safety norm:	CE

Subject to changes

64.239.05



Wall luminaire copper / black  
 Stretched metal mesh over an opal acrylic diffuser.  
 incl. Flex-LED 12 V ca. 10 watt/mtr.  
 LED driver included  
 height ca. 800 mm, extension ca. 100 mm

Surface:	Copper 05
Lamp socket:	1 x LED integrated / 230 V
Height:	800 mm
Voltage:	230 V
Protection class:	I
Safety norm:	CE

14.238.03



Table / desk luminaire  
 Stretched metal mesh over an opal acrylic diffuser. Satin/dull brass + matt black finish  
 incl. Flex-LED 12 V ca. 10 watt/mtr. LED driver included  
 height ca. 490 mm

Surface:	Brass dull 03
Lamp socket:	1 x LED integrated / 230 V
Height:	490 mm
Voltage:	230 V
Protection class:	I
Safety norm:	CE

14.238.05



Table / desk luminaire  
 Stretched metal mesh over an opal acrylic diffuser. Copper + matt black finish incl. Flex-LED 12 V ca. 10 watt/mtr.  
 LED driver included  
 height ca. 490 mm

Surface:	Copper 05
Lamp socket:	1 x LED integrated / 230 V
Height:	490 mm
Voltage:	230 V
Protection class:	I
Safety norm:	CE



devon-janse-van-reensburg



64.185.03

LED reading light for headboard  
 Brass and black finish  
 Machined reeded LED-head  
 USB port charging port + integrated on/off-switch  
 incl. 1 watt LED warm white  
 incl. LED driver (added as loose part)

Surface:	Brass dull 03
Lamp socket:	1 x LED integrated / 350 mA / 1 W
Length:	140 mm
Width:	45 mm
Outreach:	60 mm
Wattage:	1 W
Voltage:	350 mA
Protection class:	III
Safety norm:	EEC-CE
Light sources:	A++ - A

Subject to changes



64.185.05

LED reading light for headboard  
Copper and black finish  
Machined reeded LED-head  
USB port charging port + integrated on/off-switch incl. 1 watt  
LED warm white  
incl. LED driver (added as loose part)

Surface:	Copper 05
Lamp socket: Length	1 x LED integrated / 350 mA / 1 W
x Width:	140 mm x 45 mm
Outreach:	60 mm
Wattage: Voltage:	1 W + 350 mA
Protection class:	III
Safety norm: EEC-	CE
Light sources:	A++ - A



64.185.54

LED reading light for headboard  
Bronze finish  
Machined reeded LED-head  
USB port charging port + integrated on/off-switch incl. 1 watt  
LED warm white  
incl. LED driver (added as loose part)

Surface:	Dark bronze 54
Lamp socket:	1 x LED integrated / 350 mA / 1 W
Length:x Width:	140 mm x 45 mm
Outreach:	60 mm
Wattage: Voltage:	1 W + 350 mA
Protection class:	III
Safety norm: EEC-	CE
Light sources:	A++ - A



64.185.79

LED reading light for headboard  
Machined reeded LED-head  
Dull black finish  
USB port charging port + integrated on/off-switch incl. 1 watt  
LED warm white  
incl. LED driver (added as loose part)

Surface:	Dull black 79
Lamp socket:	1 x LED integrated / 350 mA / 1 W
Length:x Width:	140 mm x 45 mm
Outreach:	60 mm
Wattage:+ voltage:	1 W + 350 mA
Protection class:	III
Safety norm: EEC-	CE
Light sources:	A++ - A

Subject to changes



vinicius amnx amano

24.238.03

Floor luminaire brass / black

A stretched metal mesh envelopes an opal acrylic diffuser inside

The twin light design creates a warm, defused light effect

Finish is a satin/dull brass and matt black.

incl. Flex-LED 12 V ca. 10 watt/mtr.

LED driver included

Surface: Black -brass satin/dull 03

Lamp socket: 1w x LED integrated

Voltage: 230 V

Protection class: II

Safety norm: CE

Subject to changes



&("&' , "\$)

Floor luminaire Copper/ black

A stretched metal mesh envelopes an opal acrylic diffuser which are two LED light sources that create a warm, defused light effect  
Finish is a satin/dull brass and matt black.

incl. Flex-LED 12 V ca. 10 watt/mtr.

LED driver included

Surface:	Black -Copper 05
Lamp socket:	1 x LED integrated / 230 V
Voltage:	230 V
Protection class:	II
Safety norm:	CE



34.238.03

A pendant luminaire brass / black

opal acrylic diffuser with expanded metal mesh in satin brass finish

incl. Flex-LED 12 V ca. 10 watt/mtr.

LED driver included

length ca. 800 mm

Surface:	Brass dull 03
Lamp socket:	1 x LED integrated / 230 V
Length:	800 mm
Voltage:	230 V
Protection class:	I
Safety norm:	CE



34.238.05

pendant luminaire copper / black

opal acrylic diffuser expanded metal mesh in satin brass finish

incl. Flex-LED 12 V ca. 10 watt/mtr.

LED driver included

Surface:	Copper 05
Lamp socket:	1 x LED integrated / 230 V
Length:	800 mm
Voltage:	230 V
Protection class:	I
Safety norm:	CE

Subject to changes





chastity cortijo

## 64.510.03

LED reading light brushed satin brass finish  
 Chamfered lens detailing with black metal rocker switch  
 Hidden front fix screw mounting  
 LED-head, incl. 1 watt LED warm white incl.  
 LED driver (added as loose part)  
 cover plate ca. 80x80 mm

Surface:	Brass dull 03
Lamp socket:	1 x LED integrated / 350 mA / 1 W
Length:	80 mm
Width:	80 mm
Wattage:	1 W
Voltage:	350 mA
Protection class:	III
Safety norm:	EEC-CE
Light sources:	A++ - A

Subject to changes



64.510.05

LED reading light copper finish  
 Chamfered lens detailing with contrasting black metal  
 rocker switch with hidden front fix screw mounting  
 LED-head, incl. 1 watt LED warm white incl.  
 LED driver (added as loose part)

Surface: Copper 05  
 Lamp socket: 1 x LED integrated / 350 mA / 1 W  
 Length: Width: 80 mm x 80 mm  
 Wattage: 1 W  
 Voltage: 350 mA  
 Protection class: III  
 Safety norm: CE  
 EEC-Light sources: A++ - A



64.510.79

LED reading light dull black finish  
 Chamfered lens detailing with contrasting black metal rocker  
 switch rocker switch with hidden front fix screw mounting  
 LED-head, incl. 1 watt LED warm white incl. LED driver  
 (added as loose part)

Surface: black dull 79  
 Lamp socket: 1 x LED integrated / 350 mA / 1 W  
 Length: Width: 80 mm x 80 mm  
 Wattage: 1 W  
 Voltage: 350 mA  
 Protection class: III  
 Safety norm: EEC- CE  
 Light sources: A++ - A



64.510.54

LED reading light dark bronze finish  
 Chamfered lens detailing with contrasting black metal  
 rocker switch with hidden front fix screw mounting  
 LED-head, incl. 1 watt LED warm white incl. LED driver  
 (added as loose part)

Surface: Dark bronze 54  
 Lamp socket: 1 x LED integrated / 350 mA / 1 W  
 Length: Width: 80 mm x 80 mm  
 Wattage: 1 W  
 Voltage: 350 mA  
 Protection class: III  
 Safety norm: EEC- CE  
 Light sources: A++ - A

Subject to changes



13.328.69-4218

Bedside / table luminaire  
Chintz fabric shade with satin brass stretched mesh detailing.  
Machined grooved definition on the stem.  
Satin / dull brass and matt black metal finish.  
Shade Ø ca. 240 mm, height ca. 185 mm

Surface:	Black 69 brass 03
Lamp socket:	for 1 x E27 / 230 V
Height:	525 mm
Diameter:	240 mm
Voltage:	230 V
Protection class:	II
Safety norm:	CE



Subject to changes



13.328.76-4218

Bedside / table luminaire

Chintz fabric shade with satin brass stretched mesh detailing. Machined grooved definition on the stem.

*NEW* blue / grey metal finish.

Shade: Ø ca. 240 mm, height ca. 185 mm

Surface: *NEW* Blue/ grey 76

Lamp socket: for 1 x E27 / 230 V

Height: 525 mm

Diameter: 240 mm

Voltage: 230 V

Protection class: II

Safety norm: CE



63.328.69-4219

wall luminaire matt black 69

Chintz fabric shade with satin brass stretched mesh detailing. Machined grooved definition on the stem.

shade: chintz off white Ø ca. 170 mm, height ca. 150 mm

Surface: Black 69

Lamp socket: for 1 x E27 / 230 V

Height: 370 mm

Diameter: 170 mm

Voltage: 230 V

Protection class: I

Safety norm: CE



63.328.76-4219

wall luminaire *NEW* grey-blue 76

Chintz fabric shade with satin brass stretched mesh detailing. Machined grooved definition on the stem.

shade: chintz off white Ø ca. 170 mm, height ca. 150 mm

Surface: grey-blue 76

Lamp socket: for 1 x E27 / 230 V

Height: 370 mm

Diameter: 170 mm

Voltage: 230 V

Protection class: I

Safety norm: CE

Subject to changes



Kam Idris

## 64.509.05

LED reading light Copper  
 Hidden wall fixings with slide over cover plate  
 Shadow gap back plate  
 Chrome contrasting rock switch  
 LED-head, incl. 1 watt LED warm white incl.  
 LED driver (added as loose part)

Surface:	Copper 05
Lamp socket:	1 x LED integrated / 350 mA / 1 W
Diameter:	80 mm
Wattage:	1 W
Voltage:	350 mA
Protection class:	III
Safety norm:	CE
EEC-Light sources:	A++ - A

Subject to changes

FW Lighting  
 The Lighthouse - 37 Wadham Grove - Emersons Green - Bristol - BS16 7DX  
 info@fw.lighting.com www.fw.lighting.com Tel:07891 919 169



BAULMANN LEUCHTEN GMBH | Selscheder Weg 24 | 59846 Sundern | Germany  
 Phone +49 (0)2933 847-0 | Fax +49 (0)2933 847-100 | E-Mail: info@baulmann.com

More information on:  
<https://www.baulmann.com/product/1332869-4218/>



64.509.54

LED reading light Dark bronze  
Hidden wall fixings with slide over cover plate plus shadow gap back plate + chrome contrasting rock switch  
LED-head, incl. 1 watt LED warm white incl.  
LED driver (added as loose part)

Surface: Dark bronzed 54  
Lamp socket: 1 x LED integrated / 350 mA / 1 W  
Diameter: 80 mm  
Wattage: Voltage: 1 W + 350 mA  
Protection class: III  
Safety norm: CE  
EEC-Light sources: A++ - A



64.509.03

LED reading light Satin/dull brass  
Hidden wall fixings with slide over cover plate plus shadow gap back plate + chrome contrasting rock switch  
LED-head, incl. 1 watt LED warm white incl.  
LED driver (added as loose part)

Surface: Brass dull 03  
Lamp socket: 1 x LED integrated / 350 mA / 1 W  
Diameter: 80 mm  
Wattage: Voltage: 1 W + 350 mA  
Protection class: III  
Safety norm: CE  
EEC-Light sources: A++ - A



64.509.79

LED reading light Dull black  
Hidden wall fixings with slide over cover plate plus shadow gap back plate + chrome contrasting rock switch  
LED-head, incl. 1 watt LED warm white incl.  
LED driver (added as loose part)

Surface: black dull 79  
Lamp socket: 1 x LED integrated / 350 mA / 1 W  
Diameter: 80 mm  
Wattage: Voltage: 1 W + 350 mA  
Protection class: III  
Safety norm: CE  
EEC-Light sources: A++ - A




jean philippe delberghe

24.402.76

Contemporary floor luminaire  
*NEW* grey-blue finish  
 Adjustable reflector  
 1 x E27  
 total height ca. 1.200 mm

Surface: *NEW* grey-blue 76  
 Lamp socket: 1 x E27 / 230 V  
 Height: 1200 mm 230 V  
 Voltage: II  
 Protection class: CE  
 Safety norm:



Subject to changes



24.402.69

Floor luminaire  
 Matt black  
 adjustable reflector  
 for 1 x E27  
 total height ca. 1.200 mm

Surface: Black 69  
 Lamp socket: for 1 x E27 / 230 V  
 Height: 1200 mm  
 Voltage: 230 V  
 Protection class: II  
 Safety norm: CE



14.402.69

Table / desk luminaire  
 Matt black  
 Adjustable reflector  
 1 x E27

Surface: Black 69  
 Lamp socket: for 1 x E27 / 230 V  
 Height: 400 mm  
 Voltage: 230 V  
 Protection class: II  
 Safety norm: CE



14.402.76

Table / desk luminaire  
 NEW Blue-grey finish  
 Adjustable reflector  
 1 x E27

Surface: grey-blue 76  
 Lamp socket: for 1 x E27 / 230 V  
 Height: 400 mm  
 Voltage: 230 V  
 Protection class: II  
 Safety norm: CE

Subject to changes





paola galimbert

64.190.79

LED headboard mounting reading light Dull black  
*NEW* Soft edge collection  
wall plate black with slim rocker switch  
incl. 1 watt LED warm white incl. LED driver (added as loose part)

Surface:	Dull black 79
Lamp socket:	1 x LED integrated / 350 mA
Length: + Width:	135 mm + 45 mm
Outreach:	60 mm
Wattage: Voltage:	1 W + 350 mA
Protection class:	III
Safety norm: EEC-	CE
Light sources:	A++ - A

Subject to changes



64.190.03

LED headboard mounting reading light Satin/ brass dull  
*NEW* Soft edge collection  
 wall plate black with slim rocker switch  
 incl. 1 watt LED warm white incl. LED driver (added as loose part)

Surface: Brass dull 03  
 Lamp socket: 1 x LED integrated / 350 mA / 1 W  
 Length: + Width: 135 mm + 45 mm  
 Outreach: 60 mm  
 Wattage: Voltage: 1 W + 350 mA  
 Protection class: III  
 Safety norm: EEC- CE  
 Light sources: A++ - A



64.190.05

LED headboard mounting reading light Copper  
*NEW* Soft edge collection  
 wall plate black with slim rocker switch  
 incl. 1 watt LED warm white incl. LED driver (added as loose part)

Surface: Copper 05  
 Lamp socket: 1 x LED integrated / 350 mA / 1 W  
 Length: + Width: 135 mm + 45 mm  
 Outreach: 60 mm  
 Wattage: Voltage: 1 W + 350 mA  
 Protection class: III  
 Safety norm: EEC- CE  
 Light sources: A++ - A



64.190.54

LED headboard mounting reading light Dark Bronze  
*NEW* Soft edge collection  
 wall plate black with slim rocker switch  
 incl. 1 watt LED warm white incl. LED driver (added as loose part)

Surface: Dark Bronze 54  
 Lamp socket: 1 x LED integrated / 350 mA / 1 W  
 Length: + Width: 135 mm + 45 mm  
 Outreach: 60 mm  
 Wattage: Voltage: 1 W + 350 mA  
 Protection class: III  
 Safety norm: EEC- CE  
 Light sources: A++ - A